Revision: 5 Issued 01.01.2025

SAFETY DATA SHEET



Manufactured in the UK

Hints - Carpet Cleaner

According to Regulation (EC) No 1907/2006, Annex II, as amended. Commission Regulation (EU) No 2015/830 of 28 May 2015.

SECTION 1: Identification of the substance/mixture and of the company/undertaking

1.1. Product identifier

Product name Hints - Carpet Cleaner

Container size 300mL

1.2. Relevant identified uses of the substance or mixture and uses advised against

Identified uses Carpet & upholstery cleaner

Uses advised against Use only for intended applications.

1.3. Details of the supplier of the safety data sheet

Supplier Keen-Newport Group Ltd

Unit 31 Kingfisher Court

Hambridge Road

Newbury Berkshire RG14 5SJ

1.4. Emergency telephone number

Emergency telephone +44 (0)1635 34600 (Mon-Fri 09:00-17:00)

SECTION 2: Hazards identification

2.1. Classification of the substance or mixture Classification (EC 1272/2008)

Physical hazards Aerosol 1 - H222, H229

Health hazards Not Classified

Environmental hazards Not Classified

2.2. Label elements

Pictogram



Signal word Danger

Hazard statements H222 Extremely flammable aerosol.

H229 Pressurised container: may burst if heated.

Precautionary statements P102 Keep out of reach of children.

P210 Keep away from heat, hot surfaces, sparks, open flames and other ignition sources.

No smoking.

P251 Do not pierce or burn, even after use.

P410+P412 Protect from sunlight. Do not expose to temperatures exceeding

50° C/122° F.

P211 Do not spray on an open flame or other ignition source.

SAFETY DATA SHEET

Manufactured in the UK

Hints - Carpet Cleaner

2.3. Other hazards

This product does not contain any substances classified as PBT or vPvB.

SECTION 3: Composition/information on ingredients

3.2. Mixtures

butane 1-5%

CAS number: 106-97-8 EC number: 203-448-7 REACH registration number: 01-

2119474691-32-XXXX

Contains no other substances or impurities which will influence the classification of the product.

Classification Classification (67/548/EEC or 1999/45/EC)

Flam. Gas 1 - H220 F+; R12. Extremely flammable.

Press. Gas (Liq.) - H280

Disodium Laureth Sulfosuccinate 1-5%

CAS number: 39354-45-5 EC number: 609-656-8

Classification

Eye Irrit. 2 - H319

isobutane 1-5%

CAS number: 75-28-5 EC number: 200-857-2 REACH registration number: 01-

2119485395-27-0000

F+; R12. Extremely flammable.

Contains no other substances or impurities which will influence the classification of the product.

Classification (67/548/EEC or 1999/45/EC)

Flam. Gas 1 - H220

Press. Gas (Lig.) - H280

propane 1-5%

CAS number: 74-98-6 EC number: 200-827-9 REACH registration number: 01-

2113486944-21-0000

Contains no other substances or impurities which will influence the classification of the product.

Classification Classification (67/548/EEC or

Flam. Gas 1 - H220 1999/45/EC) F+; R12. Extremely

Press. Gas (Liq.) - H280 flammable.

2-butoxyethanol 1-5%

CAS number: 111-76-2 EC number: 203-905-0 REACH registration number:

012119475108-36-0000

SAFETY DATA SHEET

Manufactured in the UK

Eye Irrit. 2 - H319

Hints - Carpet Cleaner

Classification Classification (67/548/EEC or 1999/45/EC)

Acute Tox. 4 - H302 Xn;R20/21/22. Xi;R36/38

Acute Tox. 4 - H312 Acute Tox. 4 - H332 Skin Irrit. 2 - H315

Diethanolamine <1%

CAS number: 111-42-2 EC number: 203-868-0 REACH registration number:

012119488930-28-XXXX

Classification

Acute Tox. 4 - H302 Skin Irrit. 2 - H315 Eye Dam. 1 - H318 STOT RE 2 - H373

Aquatic Chronic 3 - H412

Diphenyl Ether <1%

Classification

Eye Irrit. 2 - H319

Aquatic Chronic 2 - H411

The Full Text for all R-Phrases and Hazard Statements are Displayed in Section 16.

SECTION 4: First aid measures

4.1. Description of first aid measures

General information If in doubt, get medical attention promptly. Show this Safety Data Sheet to the medical

personnel.

Inhalation Move affected person to fresh air and keep warm and at rest in a position comfortable

for breathing. Loosen tight clothing such as collar, tie or belt. Get medical attention if

symptoms are severe or persist.

Ingestion Rinse mouth thoroughly with water. Get medical advice/attention if you feel unwell. Do

not induce vomiting unless under the direction of medical personnel.

Skin contact Rinse with water.

Eye contact Remove any contact lenses and open eyelids wide apart. Rinse with water. Get medical

attention if any discomfort continues.

Protection of first aiders First aid personnel should wear appropriate protective equipment during any rescue.

4.2. Most important symptoms and effects, both acute and delayed

General information The severity of the symptoms described will vary dependent on the concentration

and the length of exposure.

Inhalation Spray/mists may cause respiratory tract irritation.

Ingestion Due to the physical nature of this product, it is unlikely that ingestion will occur.

SAFETY DATA SHEET

Manufactured in the UK

Hints - Carpet Cleaner

Skin contact Repeated exposure may cause skin dryness or cracking.

Eye contact May be slightly irritating to eyes. May cause discomfort.

4.3. Indication of any immediate medical attention and special treatment needed

Notes for the doctor Treat symptomatically.

SECTION 5: Firefighting measures

5.1. Extinguishing media

Suitable extinguishing media The product is not flammable. Extinguish with alcohol-resistant foam, carbon dioxide, dry

powder or water fog. Use fire-extinguishing media suitable for the surrounding fire.

Unsuitable extinguishing

Do not use water jet as an extinguisher, as this will spread the fire.

media

5.2. Special hazards arising from the substance or mixture

Specific hazards Containers can burst violently or explode when heated, due to excessive pressure build-

up. Bursting aerosol containers may be propelled from a fire at high speed. If aerosol cans are ruptured, care should be taken due to the rapid escape of the pressurised contents

and propellant.

Hazardous combustion

products

Thermal decomposition or combustion products may include the following substances:

Harmful gases or vapours.

5.3. Advice for firefighters

Protective actions during

firefighting

Avoid breathing fire gases or vapours. Evacuate area. Cool containers exposed to heat with water spray and remove them from the fire area if it can be done without risk. Cool containers exposed to flames with water until well after the fire is out. If a leak or spill has not ignited, use water spray to disperse vapours and protect men stopping the leak. Control run-off water by containing and keeping it out of sewers and watercourses. If risk of water pollution occurs, notify appropriate authorities.

Special protective

equipment for firefighters

Wear positive-pressure self-contained breathing apparatus (SCBA) and appropriate protective clothing. Firefighter's clothing conforming to European standard EN469

(including helmets, protective boots and gloves) will provide a basic level of protection for

chemical incidents.

SECTION 6: Accidental release measures

6.1. Personal precautions, protective equipment and emergency procedures

Personal precautions Wear protective clothing as described in Section 8 of this safety data sheet. No action

shall be taken without appropriate training or involving any personal risk. Do not touch or

walk into spilled material. Evacuate area. Risk of explosion.

6.2. Environmental precautions

Environmental precautions Avoid discharge into drains or watercourses or onto the ground.

6.3. Methods and material for containment and cleaning up

Methods for cleaning up Wear protective clothing as described in Section 8 of this safety data sheet. Clear up spills

immediately and dispose of waste safely. Eliminate all ignition sources if safe to do so. No

smoking, sparks, flames or other sources of ignition near spillage. Under normal conditions of handling and storage, spillages from aerosol containers are unlikely. If

aerosol cans are ruptured, care should be taken due to the rapid escape of the

pressurised contents and propellant. Small Spillages: Wipe up with an absorbent cloth

SAFETY DATA SHEET

Manufactured in the UK

Hints - Carpet Cleaner

and dispose of waste safely. Large Spillages: If the product is soluble in water, dilute the spillage with water and mop it up. Alternatively, or if it is not water-soluble, absorb the spillage with an inert, dry material and place it in a suitable waste disposal container. Flush contaminated area with plenty of water. Wash thoroughly after dealing with a spillage. For waste disposal, see Section 13.

6.4. Reference to other sections

Reference to other sections For personal protection, see Section 8. See Section 11 for additional information on health hazards. See Section 12 for additional information on ecological hazards. For waste disposal, see Section 13.

SECTION 7: Handling and storage

7.1. Precautions for safe handling

Keep out of the reach of children. Read and follow manufacturer's recommendations. Usage precautions

> Wear protective clothing as described in Section 8 of this safety data sheet. Keep away from food, drink and animal feeding stuffs. Avoid exposing aerosol containers to high temperatures or direct sunlight. Do not spray on an open flame or other ignition source. Do not pierce or burn, even after use. Spray will evaporate and cool rapidly and may cause frostbite or cold burns if in contact with skin. Avoid contact with eyes. Avoid

inhalation of vapours and spray/mists.

Advice on general

Wash promptly if skin becomes contaminated. Take off contaminated clothing. Wash

occupational hygiene

contaminated clothing before reuse.

7.2. Conditions for safe storage, including any incompatibilities

Storage precautions Store away from incompatible materials (see Section 10). Keep out of the reach of children.

> Keep away from food, drink and animal feeding stuffs. Keep only in the original container. Keep container tightly closed, in a cool, well ventilated place. Keep containers upright. Protect containers from damage. Protect from sunlight. Do not store near heat sources or expose to high temperatures. Do not expose to temperatures exceeding 50° C/122° F.

Storage class Chemical storage.

7.3. Specific end use(s)

Specific end use(s) The identified uses for this product are detailed in Section 1.2.

SECTION 8: Exposure controls/Personal protection

8.1. Control parameters Occupational exposure limits

butane

Long-term exposure limit (8-hour TWA): WEL 600 ppm 1450 mg/m³ Short-term exposure limit (15-minute): WEL 750 ppm 1810 mg/m³

isobutane

800ppm (TWA/TLV)

propane

TLV (ACGHIH) - 1.000 ppm

2-butoxyethanol

Long-term exposure limit (8-hour TWA): WEL 25 ppm 123 mg/m³ Short-term exposure limit (15-minute): WEL 50 ppm 246 mg/m³

Sk

SAFETY DATA SHEET

Manufactured in the UK

Hints - Carpet Cleaner

Diphenyl Ether

Long-term exposure limit (8-hour TWA): WEL 1 ppm 7.1 mg/m³ vapour

WEL = Workplace Exposure Limit

Sk = Can be absorbed through the skin.

2-butoxyethanol (CAS: 111-76-2)

DNEL Industry - Dermal; Short term systemic effects: 89 mg/kg/day

Industry - Inhalation; Short term systemic effects: 663 mg/m³ Industry - Dermal; Long term systemic effects: 75 mg/kg/day Industry - Inhalation; Long term systemic effects: 98 mg/m³

PNEC - Fresh water; 8.8 mg/l

marine water; 8.8 mg/lSediment; 8.14 mg/kg

- Soil; 2.8 mg/kg

Diethanolamine (CAS: 111-42-2)

DNEL Workers - Dermal; Long term systemic effects: 0.13 mg/kg

Workers - Inhalation; Long term local effects: 1 mg/m³

Consumer - Dermal; Long term systemic effects: 0.07 mg/kg/day

Consumer - Inhalation; Long term local effects: 0.25 mg/m³

8.2. Exposure controls

Appropriate engineering

Provide adequate ventilation.

controls

Eye/face protection Avoid contact with eyes. Large Spillages: Eyewear complying with an approved standard

should be worn if a risk assessment indicates eye contact is possible.

Hand protection No specific hand protection recommended.

Hygiene measures Wash hands thoroughly after handling. Do not eat, drink or smoke when using this

product. Wash contaminated clothing before reuse.

Respiratory protection No specific recommendations. Provide adequate ventilation. Large Spillages: If

ventilation is inadequate, suitable respiratory protection must be worn.

Environmental exposure

Keep container tightly sealed when not in use. Avoid release to the environment.

controls

SECTION 9: Physical and chemical properties

9.1. Information on basic physical and chemical properties

Appearance Aerosol.

Colour White.

Odour Fragrant.

pH pH (concentrated solution): 7 - 8

Melting point

No information available.

Initial boiling point and

No information available.

range

Flash point

No information available.

Evaporation rate

No information available.

SAFETY DATA SHEET

Manufactured in the UK

Hints - Carpet Cleaner

Flammability (solid, gas) No information available.

Upper/lower flammability or No information available.

explosive limits

Vapour pressure No information available.

Vapour density No information available.

Relative density No information available.

Solubility(ies) No information available.

Partition coefficient No information available.

Auto-ignition temperature No information available.

Decomposition Temperature No information available.

Viscosity

No information available.

Explosive properties

No information available.

Explosive under the influence

Yes of a flame

Oxidising properties Not available.

9.2. Other information

Other information No information required.

SECTION 10: Stability and reactivity

10.1. Reactivity

Reactivity See the other subsections of this section for further details.

10.2. Chemical stability

Stability Stable at normal ambient temperatures and when used as recommended. Stable under the

prescribed storage conditions.

10.3. Possibility of hazardous reactions

Possibility of hazardous

No potentially hazardous reactions known.

reactions

10.4. Conditions to avoid

Conditions to avoid Avoid exposing aerosol containers to high temperatures or direct sunlight. Pressurised

container: may burst if heated

10.5. Incompatible materials

Materials to avoid

No specific material or group of materials is likely to react with the product to produce a

hazardous situation.

10.6. Hazardous decomposition products

Hazardous decomposition Does not decompose when used and stored as recommended. Thermal decomposition or

products combustion products may include the following substances: Harmful gases or vapours.

SECTION 11: Toxicological information

11.1. Information on toxicological effects Acute toxicity - oral

Notes (oral LD₅₀) Based on available data the classification

criteria are not met.

SAFETY DATA SHEET

Manufactured in the UK Hints - Carpet Cleaner

ATE oral (mg/kg) 123,809.52

Acute toxicity - dermal

Notes (dermal LD₅₀) Based on available data the classification

criteria are not met.

ATE dermal (mg/kg) 190,476.19

Acute toxicity - inhalation

Notes (inhalation LC₅₀) Based on available data the classification

criteria are not met.

ATE inhalation (vapours 1,047.62

mg/I)

Skin corrosion/irritation

Animal data Based on available data the classification

Serious eye criteria are not met.

damage/irritation

Serious eye Based on available data the classification

damage/irritation criteria are not met.

Respiratory sensitisation

Respiratory sensitisation Based on available data the classification criteria are not met.

Skin sensitisation

Skin sensitisation Based on available data the classification criteria are not met.

Germ cell mutagenicity

Genotoxicity - in vitro Based on available data the classification criteria are not met.

Carcinogenicity

Carcinogenicity Based on available data the classification criteria are not met. **IARC carcinogenicity** Contains a substance which may be potentially carcinogenic.

IARC Group 2B Possibly carcinogenic to humans.

Reproductive toxicity

Reproductive toxicity - Based on available data the classification criteria are not met.

fertility

Reproductive toxicity Based on available data the classification criteria are not met.

development

Specific target organ toxicity - single exposure

STOT - single exposure Not classified as a specific target organ toxicant after a single exposure.

Specific target organ toxicity - repeated exposure

STOT - repeated exposure Not classified as a specific target organ toxicant after repeated exposure.

Aspiration hazard

Aspiration hazard Based on available data the classification criteria are not met.

General information The severity of the symptoms described will vary dependent on the concentration

and the length of exposure.

Inhalation Spray/mists may cause respiratory tract irritation.

SAFETY DATA SHEET

Manufactured in the UK

Hints - Carpet Cleaner

Ingestion Due to the physical nature of this product, it is unlikely that ingestion will occur.

Skin contact Repeated exposure may cause skin dryness or cracking.

Eye contact May be slightly irritating to eyes. May cause discomfort.

Route of exposure Ingestion Inhalation Skin and/or eye contact

Target organs No specific target organs known.

SECTION 12: Ecological information

Ecotoxicity Not regarded as dangerous for the environment. However, large or frequent spills may

have hazardous effects on the environment.

12.1. Toxicity

Toxicity Based on available data the classification criteria are not met.

12.2. Persistence and degradability

Persistence and degradability The degradability of the product is not known.

12.3. Bioaccumulative potential

Bioaccumulative potential No data available on bioaccumulation.

Partition coefficient No information available.

12.4. Mobility in soil

Mobility The product contains volatile organic compounds (VOCs) which will evaporate easily from

all surfaces.

12.5. Results of PBT and vPvB assessment

12.6. Other adverse effects

Other adverse effects None known.

SECTION 13: Disposal considerations

|--|

General information

The generation of waste should be minimised or avoided wherever possible. Reuse or recycle products wherever possible. This material and its container must be disposed of in a safe way. When handling waste, the safety precautions applying to handling of the product should be considered. Care should be taken when handling emptied containers that have not been thoroughly cleaned or rinsed out. Empty containers or liners may

retain some product residues and hence be potentially hazardous.

Disposal methods Do not empty into drains. Empty containers must not be punctured or incinerated because

of the risk of an explosion. Dispose of waste to licensed waste disposal site in accordance

with the requirements of the local Waste Disposal Authority.

SECTION 14: Transport information

14.1. UN number

UN No. (ADR/RID) 1950 UN No. (IMDG) 1950 UN No. (ICAO) 1950 UN No. (ADN) 1950

14.2. UN proper shipping name

Proper shipping name

AEROSOLS

(ADR/RID)

SAFETY DATA SHEET

Manufactured in the UK

Hints - Carpet Cleaner

Proper shipping name (IMDG) AEROSOLS
Proper shipping name (ICAO) AEROSOLS
Proper shipping name (ADN) AEROSOLS

14.3. Transport hazard class(es)

ADR/RID class 2.1

ADR/RID classification code 5F

ADR/RID label 2.1

IMDG class 2.1

ICAO class/division 2.1

ADN class 2.1

Transport labels



14.4. Packing group 14.5. Environmental hazards

Environmentally hazardous substance/marine pollutant

No.

14.6. Special precautions for user

EmS F-D, S-U

ADR transport category 2

Tunnel restriction code (D)

14.7. Transport in bulk according to Annex II of MARPOL and the IBC Code

SECTION 15: Regulatory information

15.1. Safety, health and environmental regulations/legislation specific for the substance or mixture

National regulations Health and Safety at Work etc. Act 1974 (as amended).

The Carriage of Dangerous Goods and Use of Transportable Pressure Equipment

Regulations 2009 (SI 2009 No. 1348) (as amended) ["CDG 2009"].

EH40/2005 Workplace exposure limits.

The Aerosol Dispensers Regulations 2009 (SI 2009 No. 2824).

EU legislation Regulation (EC) No 1907/2006 of the European Parliament and of the Council of 18

December 2006 concerning the Registration, Evaluation, Authorisation and

Restriction of Chemicals (REACH) (as amended).

Commission Regulation (EU) No 2015/830 of 28 May 2015.

Regulation (EC) No 1272/2008 of the European Parliament and of the Council of 16 December 2008 on classification, labelling and packaging of substances and mixtures

(as amended).

Council Directive of 20 May 1975 on the approximation of the laws of the Member

States relating to aerosol dispensers (75/324/EEC) (as amended).

15.2. Chemical safety assessment

No chemical safety assessment has been carried out.

Inventories

EU - EINECS/ELINCS

SAFETY DATA SHEET

Manufactured in the UK

Hints - Carpet Cleaner

None of the ingredients are listed or exempt.

SECTION 16: Other information

Abbreviations and acronyms used in the safety data sheet

ADR: European Agreement concerning the International Carriage of Dangerous Goods

by Road.

ADN: European Agreement concerning the International Carriage of Dangerous Goods

by Inland Waterways.

RID: European Agreement concerning the International Carriage of Dangerous Goods

by Rail.

IATA: International Air Transport Association.

ICAO: Technical Instructions for the Safe Transport of Dangerous Goods by Air.

IMDG: International Maritime Dangerous Goods.

CAS: Chemical Abstracts Service.

ATE: Acute Toxicity Estimate.

 LC_{50} : Lethal Concentration to 50 % of a test population.

LD₅₀: Lethal Dose to 50% of a test population (Median Lethal Dose).

EC₅₀: 50% of maximal Effective Concentration.

PBT: Persistent, Bioaccumulative and Toxic substance.

vPvB: Very Persistent and Very Bioaccumulative.

Classification abbreviations Aerosol = Aerosol

and acronyms

Classification procedures Aerosol 3 - H229: : Expert judgement.

according to Regulation (EC)

1272/2008

Training advice Read and follow manufacturer's recommendations.

Revision date 23/10/2018

Revision 5

Supersedes date 07/03/2018

SDS number 4932

Hazard statements in full H220 Extremely flammable gas.

H222 Extremely flammable aerosol.

H229 Pressurised container: may burst if heated.

H280 Contains gas under pressure; may explode if heated.

H302 Harmful if swallowed.

H312 Harmful in contact with skin.

H315 Causes skin irritation.

H318 Causes serious eye damage. H319 Causes serious eye irritation.

H332 Harmful if inhaled.

H373 May cause damage to organs (Blood, Kidneys, Liver) through prolonged or

repeated exposure.

H411 Toxic to aquatic life with long lasting effects.

H412 Harmful to aquatic life with long lasting effects.

SAFETY DATA SHEET

Manufactured in the UK

Hints - Carpet Cleaner

This information relates only to the specific material designated and may not be valid for such material used in combination with any other materials or in any process. Such information is, to the best of the company's knowledge and belief, accurate and reliable as of the date indicated. However, no warranty, guarantee or representation is made to its accuracy, reliability or completeness. It is the user's responsibility to satisfy himself as to the suitability of such information for his own particular use.