

**SAFETY DATA SHEET**

Manufactured in the UK

**Hints – Furniture Polish Natura.**

According to Regulation (EC) No 1907/2006, Annex II, as amended. Commission Regulation (EU) No 2015/830 of 28 May 2015.

**SECTION 1: Identification of the substance/mixture and of the company/undertaking****1.1. Product identifier**

**Product name** Hints - Furniture Polish Natural  
**Container size** 300mL

**1.2. Relevant identified uses of the substance or mixture and uses advised against**

**Identified uses** Cleaning agent.  
**Uses advised against** Use only for intended applications.

**1.3. Details of the supplier of the safety data sheet**

**Supplier** Keen-Newport Group Ltd  
Unit 31 Kingfisher Court  
Newbury  
Berkshire  
RG14 5SJ

**1.4. Emergency telephone number**

**Emergency telephone** +44 (0)1635 34600 (Mon-Fri 09:00-17:00)

**SECTION 2: Hazards identification****2.1. Classification of the substance or mixture****Classification (EC 1272/2008)**

**Physical hazards** Aerosol 1 - H222, H229  
**Health hazards** Not Classified  
**Environmental hazards** Aquatic Chronic 3 -  
H412

**2.2. Label elements****Pictogram**

**Signal word** Danger  
**Hazard statements** H222 Extremely flammable aerosol.  
H229 Pressurised container: may burst if heated.  
H412 Harmful to aquatic life with long lasting effects.

# SAFETY DATASHEET

Manufacture in the UK

## Hints - Furniture Polish Natural

### Precautionary statements

P102 Keep out of reach of children.  
 P210 Keep away from heat, hot surfaces, sparks, open flames and other ignition sources. No smoking.  
 P211 Do not spray on an open flame or other ignition source.  
 P251 Do not pierce or burn, even after use.  
 P260 Do not breathe spray.  
 P264 Wash contaminated skin thoroughly after handling.  
 P410+P412 Protect from sunlight. Do not expose to temperatures exceeding 50° C/122° F.  
 P501 Dispose of contents/ container in accordance with national regulations.

### Supplementary precautionary statements

P270 Do not eat, drink or smoke when using this product.  
 P273 Avoid release to the environment.  
 P314 Get medical advice/ attention if you feel unwell.

### 2.3. Other hazards

This product does not contain any substances classified as PBT or vPvB.

## SECTION 3: Composition/information on ingredients

### 3.2. Mixtures

Hydrocarbons, C7-C9, n-alkanes, isoalkanes, cyclics			5-10%
CAS number: 64742-49-0	EC number: 920-750-0	REACH registration number: 012119473851-33-0000	
Classification			
Flam. Liq. 2 - H225			
Skin Irrit. 2 - H315			
STOT SE 3 - H335			
Asp. Tox. 1 - H304			
Aquatic Chronic 2 - H411			
butane			5-10%
CAS number: 106-97-8	EC number: 203-448-7	REACH registration number: 01- 2119474691-32-XXXX	
Contains no other substances or impurities which will influence the classification of the product.			
Classification		Classification (67/548/EEC or 1999/45/EC)	
Flam. Gas 1 - H220		F+; R12. Extremely flammable.	
Press. Gas (Liq.) - H280			
isobutane			1-5%
CAS number: 75-28-5	EC number: 200-857-2	REACH registration number: 01- 2119485395-27-0000	
Contains no other substances or impurities which will influence the classification of the product.			

**SAFETY DATASHEET**

Manufacture in the UK

**Hints - Furniture Polish Natural**

<b>Classification</b> Flam. Gas 1 - H220 Press. Gas (Liq.) - H280		<b>Classification (67/548/EEC or 1999/45/EC)</b> F+; R12. Extremely flammable.
<b>propane</b> CAS number: 74-98-6                      EC number: 200-827-9                      REACH registration number: 01-2113486944-21-0000 Contains no other substances or impurities which will influence the classification of the product.		<b>1-5%</b>
<b>Classification</b> Flam. Gas 1 - H220 Press. Gas (Liq.) - H280		<b>Classification (67/548/EEC or 1999/45/EC)</b> F+; R12. Extremely flammable.
<b>Dimethyl siloxane</b> CAS number: 63148-62-9		<b>1-5%</b>
<b>Classification</b> Eye Irrit. 2 - H319		
<b>Diethyl phthalate</b> CAS number: 84-66-2                      EC number: 201-550-6		<b>&lt;1%</b>
Classification Not Classified		
<b>DL-bornan-2-one</b> CAS number: 76-22-2                      EC number: 244-350-4		<b>&lt;1%</b>
<b>Classification</b> Flam. Sol. 2 - H228 Acute Tox. 4 - H302 Acute Tox. 4 - H332 STOT SE 2 - H371		

The Full Text for all R-Phrases and Hazard Statements are Displayed in Section 16.

**SECTION 4: First aid measures****4.1. Description of first aid measures**

<b>General information</b>	Get medical attention if any discomfort continues. Show this Safety Data Sheet to the medical personnel.
<b>Inhalation</b>	Move affected person to fresh air and keep warm and at rest in a position comfortable for breathing. Loosen tight clothing such as collar, tie or belt. Get medical attention if symptoms are severe or persist.
<b>Ingestion</b>	Rinse mouth thoroughly with water. Get medical advice/attention if you feel unwell. Do not induce vomiting unless under the direction of medical personnel.
<b>Skin contact</b>	Rinse with water.
<b>Eye contact</b>	Remove any contact lenses and open eyelids wide apart. Rinse with water. Get medical attention if any discomfort continues.

# SAFETY DATASHEET

Manufacture in the UK

## Hints - Furniture Polish Natural

**Protection of first aiders** First aid personnel should wear appropriate protective equipment during any rescue.

### 4.2. Most important symptoms and effects, both acute and delayed

**General information** The severity of the symptoms described will vary dependent on the concentration and the length of exposure.

**Inhalation** Spray/mists may cause respiratory tract irritation. If exposed to large concentrations: Vapours may cause headache, fatigue, dizziness and nausea.

**Ingestion** Due to the physical nature of this product, it is unlikely that ingestion will occur.

**Skin contact** Repeated exposure may cause skin dryness or cracking.

**Eye contact** May be slightly irritating to eyes. May cause discomfort.

### 4.3. Indication of any immediate medical attention and special treatment needed

**Notes for the doctor** Treat symptomatically.

## SECTION 5: Firefighting measures

### 5.1. Extinguishing media

**Suitable extinguishing media** The product is flammable. Extinguish with alcohol-resistant foam, carbon dioxide, dry powder or water fog. Use fire-extinguishing media suitable for the surrounding fire.

**Unsuitable extinguishing media** Do not use water jet as an extinguisher, as this will spread the fire.

### 5.2. Special hazards arising from the substance or mixture

**Specific hazards** Containers can burst violently or explode when heated, due to excessive pressure build-up. Bursting aerosol containers may be propelled from a fire at high speed. If aerosol cans are ruptured, care should be taken due to the rapid escape of the pressurised contents and propellant. Vapours may form explosive mixtures with air.

**Hazardous combustion products** Thermal decomposition or combustion products may include the following substances: Harmful gases or vapours.

### 5.3. Advice for firefighters

**Protective actions during firefighting** Avoid breathing fire gases or vapours. Evacuate area. Cool containers exposed to heat with water spray and remove them from the fire area if it can be done without risk. Cool containers exposed to flames with water until well after the fire is out. If a leak or spill has not ignited, use water spray to disperse vapours and protect men stopping the leak. Avoid discharge to the aquatic environment. Control run-off water by containing and keeping it out of sewers and watercourses. If risk of water pollution occurs, notify appropriate authorities.

**Special protective equipment for firefighters** Wear positive-pressure self-contained breathing apparatus (SCBA) and appropriate protective clothing. Firefighter's clothing conforming to European standard EN469 (including helmets, protective boots and gloves) will provide a basic level of protection for chemical incidents.

## SECTION 6: Accidental release measures

### 6.1. Personal precautions, protective equipment and emergency procedures

**Personal precautions** Wear protective clothing as described in Section 8 of this safety data sheet. No action shall be taken without appropriate training or involving any personal risk. Do not touch or walk into spilled material. Evacuate area. Risk of explosion. Provide adequate ventilation. No smoking, sparks, flames or other sources of ignition near spillage. Promptly remove any clothing that becomes contaminated.

# SAFETY DATASHEET

Manufacture in the UK

## Hints - Furniture Polish Natural

### 6.2. Environmental precautions

**Environmental precautions** Avoid discharge into drains or watercourses or onto the ground. Avoid discharge to the aquatic environment.

### 6.3. Methods and material for containment and cleaning up

**Methods for cleaning up** Wear protective clothing as described in Section 8 of this safety data sheet. Clear up spills immediately and dispose of waste safely. Eliminate all ignition sources if safe to do so. No smoking, sparks, flames or other sources of ignition near spillage. Under normal conditions of handling and storage, spillages from aerosol containers are unlikely. If aerosol cans are ruptured, care should be taken due to the rapid escape of the pressurised contents and propellant. Small Spillages: Wipe up with an absorbent cloth and dispose of waste safely. Large Spillages: If the product is soluble in water, dilute the spillage with water and mop it up. Alternatively, or if it is not water-soluble, absorb the spillage with an inert, dry material and place it in a suitable waste disposal container. Flush contaminated area with plenty of water. Wash thoroughly after dealing with a spillage. Dangerous for the environment. Do not empty into drains. For waste disposal, see Section 13.

### 6.4. Reference to other sections

**Reference to other sections** For personal protection, see Section 8. See Section 11 for additional information on health hazards. See Section 12 for additional information on ecological hazards. For waste disposal, see Section 13.

## SECTION 7: Handling and storage

### 7.1. Precautions for safe handling

**Usage precautions** Keep out of the reach of children. Read and follow manufacturer's recommendations. Wear protective clothing as described in Section 8 of this safety data sheet. Keep away from food, drink and animal feeding stuffs. Avoid exposing aerosol containers to high temperatures or direct sunlight. The product is flammable. Keep away from heat, hot surfaces, sparks, open flames and other ignition sources. No smoking. Avoid discharge to the aquatic environment. Do not spray on an open flame or other ignition source. Do not pierce or burn, even after use. Spray will evaporate and cool rapidly and may cause frostbite or cold burns if in contact with skin. Avoid contact with eyes. Avoid inhalation of vapours and spray/mists.

**Advice on general occupational hygiene** Wash promptly if skin becomes contaminated. Take off contaminated clothing. Wash contaminated clothing before reuse.

### 7.2. Conditions for safe storage, including any incompatibilities

**Storage precautions** Store away from incompatible materials (see Section 10). Keep out of the reach of children. Keep away from food, drink and animal feeding stuffs. Keep away from oxidising materials, heat and flames. Keep only in the original container. Keep container tightly closed, in a cool, well ventilated place. Keep containers upright. Protect containers from damage. Protect from sunlight. Do not store near heat sources or expose to high temperatures. Do not expose to temperatures exceeding 50° C/122° F.

**Storage class** Miscellaneous hazardous material storage.

### 7.3. Specific end use(s)

**Specific end use(s)** The identified uses for this product are detailed in Section 1.2.

## SAFETY DATASHEET

Manufacture in the UK

## Hints - Furniture Polish Natural

**SECTION 8: Exposure controls/Personal protection****8.1. Control parameters****Occupational exposure limits****Hydrocarbons, C7-C9, n-alkanes, isoalkanes, cyclics**Long-term exposure limit (8-hour TWA): WEL 1200 mg/m<sup>3</sup>**butane**Long-term exposure limit (8-hour TWA): WEL 600 ppm 1450 mg/m<sup>3</sup>Short-term exposure limit (15-minute): WEL 750 ppm 1810 mg/m<sup>3</sup>**isobutane**

800ppm (TWA/TLV)

**propane**

TLV (ACGHIH) - 1.000 ppm

**Diethyl phthalate**Long-term exposure limit (8-hour TWA): WEL 5 mg/m<sup>3</sup>Short-term exposure limit (15-minute): WEL 10 mg/m<sup>3</sup>**DL-bornan-2-one**Long-term exposure limit (8-hour TWA): WEL 2 ppm 13 mg/m<sup>3</sup>Short-term exposure limit (15-minute): WEL 3 ppm 19 mg/m<sup>3</sup>

WEL = Workplace Exposure Limit

**Hydrocarbons, C7-C9, n-alkanes, isoalkanes, cyclics (CAS: 64742-49-0)****DNEL**

Industry - Dermal; Long term systemic effects: 773 mg/kg/day

Industry - Inhalation; Long term systemic effects: 2035 mg/m<sup>3</sup>

Consumer - Dermal; Long term systemic effects: 699 mg/kg/day

Consumer - Inhalation; Long term systemic effects: 608 mg/m<sup>3</sup>**8.2. Exposure controls****Appropriate engineering controls**

Provide adequate ventilation.

**Eye/face protection**

Avoid contact with eyes. Large Spillages: Personal protective equipment for eye and face protection should comply with European Standard EN166.

**Hand protection**

Avoid contact with skin. To protect hands from chemicals, gloves should comply with European Standard EN374.

**Hygiene measures**

Wash hands thoroughly after handling. Do not eat, drink or smoke when using this product. Wash contaminated clothing before reuse.

**Respiratory protection**

Provide adequate ventilation. Open a window. Large Spillages: If ventilation is inadequate, suitable respiratory protection must be worn.

**Environmental exposure controls**

Keep container tightly sealed when not in use. Avoid release to the environment.

**SECTION 9: Physical and chemical properties****9.1. Information on basic physical and chemical properties****Appearance**

Aerosol.

**Colour**

White/off-white.

**Odour**

Fragrant.

**pH**

No information available.

**SAFETY DATASHEET**

Manufacture in the UK

**Hints - Furniture Polish Natural**

<b>Melting point</b>	No information available.
<b>Initial boiling point and range</b>	No information available.
<b>Flash point</b>	No information available.
<b>Evaporation rate</b>	No information available.
<b>Flammability (solid, gas)</b>	No information available.
<b>Upper/lower flammability or explosive limits</b>	No information available.
<b>Vapour pressure</b>	No information available.
<b>Vapour density</b>	No information available.
<b>Relative density</b>	No information available.
<b>Solubility(ies)</b>	No information available.
<b>Partition coefficient</b>	No information available.
<b>Auto-ignition temperature</b>	No information available.
<b>Decomposition Temperature</b>	No information available.
<b>Viscosity</b>	78.8 m <sup>2</sup> /s @ 40° C
<b>Explosive properties</b>	No information available.
<b>Explosive under the influence of a flame</b>	Yes
<b>Oxidising properties</b>	Not available.
<b><u>9.2. Other information</u></b>	
<b>Other information</b>	No information required.

**SECTION 10: Stability and reactivity****10.1. Reactivity**

**Reactivity** See the other subsections of this section for further details.

**10.2. Chemical stability**

**Stability** Stable at normal ambient temperatures and when used as recommended. Stable under the prescribed storage conditions.

**10.3. Possibility of hazardous reactions**

**Possibility of hazardous reactions** The following materials may react strongly with the product: Oxidising agents.

**10.4. Conditions to avoid**

**Conditions to avoid** Avoid exposing aerosol containers to high temperatures or direct sunlight. Keep at temperature not exceeding 50° C. Pressurised container: may burst if heated Avoid moisture.

**10.5. Incompatible materials**

**Materials to avoid** No specific material or group of materials is likely to react with the product to produce a hazardous situation.

# SAFETY DATASHEET

Manufacture in the UK

## Hints - Furniture Polish Natural

### 10.6. Hazardous decomposition products

**Hazardous decomposition products** Does not decompose when used and stored as recommended. Thermal decomposition or combustion products may include the following substances:  
Harmful gases or vapours.

### SECTION 11: Toxicological information

#### 11.1. Information on toxicological effects Acute toxicity - oral

**Notes (oral LD<sub>50</sub>)** Based on available data the classification criteria are not met.

#### Acute toxicity - dermal

**Notes (dermal LD<sub>50</sub>)** Based on available data the classification criteria are not met.

#### Acute toxicity - inhalation

**Notes (inhalation LC<sub>50</sub>)** Based on available data the classification criteria are not met.

#### Skin corrosion/irritation

**Animal data** Based on available data the classification criteria are not met.

#### Serious eye

#### damage/irritation

**Serious eye damage/irritation** Based on available data the classification criteria are not met.

#### Respiratory sensitisation

**Respiratory sensitisation** Based on available data the classification criteria are not met.

#### Skin sensitisation

**Skin sensitisation** Based on available data the classification criteria are not met.

#### Germ cell mutagenicity

**Genotoxicity - in vitro** Based on available data the classification criteria are not met.

#### Carcinogenicity

**Carcinogenicity** Based on available data the classification criteria are not met.

#### **IARC carcinogenicity**

Contains a substance which has been shown to cause cancer in laboratory animals.  
IARC Group 2A Probably carcinogenic to humans.

#### Reproductive toxicity

**Reproductive toxicity - fertility** Based on available data the classification criteria are not met.

**Reproductive toxicity development** Based on available data the classification criteria are not met.

#### Specific target organ toxicity - single exposure

**STOT - single exposure** Not classified as a specific target organ toxicant after a single exposure.

#### Specific target organ toxicity - repeated exposure

**STOT - repeated exposure** STOT RE 1 - H372

#### Aspiration hazard

**Aspiration hazard** Based on available data the classification criteria are not met.

#### **General information**

The severity of the symptoms described will vary dependent on the concentration and the length of exposure.

#### **Inhalation**

Spray/mists may cause respiratory tract irritation.



**SAFETY DATASHEET**

Manufacture in the UK

**Hints - Furniture Polish Natural**

<b>Ingestion</b>	Due to the physical nature of this product, it is unlikely that ingestion will occur.
<b>Skin contact</b>	Repeated exposure may cause skin dryness or cracking.
<b>Eye contact</b>	May be slightly irritating to eyes. May cause discomfort.
<b>Route of exposure</b>	Ingestion Inhalation Skin and/or eye contact
<b>Target organs</b>	No specific target organs known.

**SECTION 12: Ecological information****12.1. Toxicity**

**Toxicity** Aquatic Chronic 3 - H412 Harmful to aquatic life with long lasting effects.

**12.2. Persistence and degradability**

**Persistence and degradability** The degradability of the product is not known.

**12.3. Bioaccumulative potential**

**Bioaccumulative potential** No data available on bioaccumulation.

**Partition coefficient** No information available.

**12.4. Mobility in soil**

**Mobility** The product contains volatile organic compounds (VOCs) which will evaporate easily from all surfaces.

**12.5. Results of PBT and vPvB assessment 12.6. Other adverse effects**

**Other adverse effects** None known.

**SECTION 13: Disposal considerations****13.1. Waste treatment methods**

**General information** The generation of waste should be minimised or avoided wherever possible. Reuse or recycle products wherever possible. This material and its container must be disposed of in a safe way. When handling waste, the safety precautions applying to handling of the product should be considered. Care should be taken when handling emptied containers that have not been thoroughly cleaned or rinsed out. Empty containers or liners may retain some product residues and hence be potentially hazardous.

**Disposal methods** Do not empty into drains. Empty containers must not be punctured or incinerated because of the risk of an explosion. Dispose of waste to licensed waste disposal site in accordance with the requirements of the local Waste Disposal Authority.

**SECTION 14: Transport information****14.1. UN number**

**UN No. (ADR/RID)** 1950

**UN No. (IMDG)** 1950

**UN No. (ICAO)** 1950

**UN No. (ADN)** 1950

**14.2. UN proper shipping name**

**Proper shipping name (ADR/RID)** AEROSOLS

**Proper shipping name (IMDG)** AEROSOLS

**Proper shipping name (ICAO)** AEROSOLS

**Proper shipping name (ADN)** AEROSOLS

**SAFETY DATASHEET**

Manufacture in the UK

**Hints - Furniture Polish Natural****14.3. Transport hazard class(es)**

ADR/RID class 2.1


ADR/RID classification code 5F

ADR/RID label 2.1

IMDG class 2.1

ICAO class/division 2.1

ADN class 2.1

**Transport labels****14.4. Packing group 14.5. Environmental hazards****Environmentally hazardous substance/marine pollutant**

No.

**14.6. Special precautions for user**

EmS F-D, S-U

ADR transport category 2

Tunnel restriction code (D)

**14.7. Transport in bulk according to Annex II of MARPOL and the IBC Code****SECTION 15: Regulatory information****15.1. Safety, health and environmental regulations/legislation specific for the substance or mixture**

<b>National regulations</b>	Health and Safety at Work etc. Act 1974 (as amended).
	The Carriage of Dangerous Goods and Use of Transportable Pressure Equipment Regulations 2009 (SI 2009 No. 1348) (as amended) ["CDG 2009"].
	EH40/2005 Workplace exposure limits.
	The Aerosol Dispensers Regulations 2009 (SI 2009 No. 2824).
<b>EU legislation</b>	Regulation (EC) No 1907/2006 of the European Parliament and of the Council of 18 December 2006 concerning the Registration, Evaluation, Authorisation and Restriction of Chemicals (REACH) (as amended).
	Commission Regulation (EU) No 2015/830 of 28 May 2015.
	Regulation (EC) No 1272/2008 of the European Parliament and of the Council of 16 December 2008 on classification, labelling and packaging of substances and mixtures (as amended).
	Council Directive of 20 May 1975 on the approximation of the laws of the Member States relating to aerosol dispensers (75/324/EEC) (as amended).

**15.2. Chemical safety assessment**

No chemical safety assessment has been carried out.

**Inventories****EU - EINECS/ELINCS**

None of the ingredients are listed or exempt.

**SECTION 16: Other information**

**SAFETY DATASHEET**

Manufacture in the UK

**Hints - Furniture Polish Natural****Abbreviations and acronyms  
used in the safety data sheet**

ADR: European Agreement concerning the International Carriage of Dangerous Goods by Road.

ADN: European Agreement concerning the International Carriage of Dangerous Goods by Inland Waterways.

RID: European Agreement concerning the International Carriage of Dangerous Goods by Rail.

IATA: International Air Transport Association.

ICAO: Technical Instructions for the Safe Transport of Dangerous Goods by Air.

IMDG: International Maritime Dangerous Goods.

CAS: Chemical Abstracts Service.

ATE: Acute Toxicity Estimate.

LC<sub>50</sub>: Lethal Concentration to 50 % of a test population.

LD<sub>50</sub>: Lethal Dose to 50% of a test population (Median Lethal Dose).

EC<sub>50</sub>: 50% of maximal Effective Concentration.

PBT: Persistent, Bioaccumulative and Toxic substance.

vPvB: Very Persistent and Very Bioaccumulative.

**Classification abbreviations  
and acronyms**

Aerosol = Aerosol

STOT RE = Specific target organ toxicity-repeated exposure

Aquatic Chronic = Hazardous to the aquatic environment (chronic)

**Classification procedures****according to Regulation (EC)****1272/2008**

STOT RE 1 - H372: : Calculation method. Aquatic Chronic 3 - H412: : Calculation method. Aerosol 1 - H222, H229: : Expert judgement.

**Training advice**

Read and follow manufacturer's recommendations.

**Revision date**

10/10/2018

**Revision**

3

**Supersedes date**

15/08/2017

**SDS number**

4929

**Hazard statements in full**

H220 Extremely flammable gas.

H222 Extremely flammable aerosol.

H225 Highly flammable liquid and vapour.

H228 Flammable solid.

H229 Pressurised container: may burst if heated.

H280 Contains gas under pressure; may explode if heated.

H302 Harmful if swallowed.

H304 May be fatal if swallowed and enters airways.

H315 Causes skin irritation.

H319 Causes serious eye irritation.

H332 Harmful if inhaled.

H335 May cause respiratory irritation.

H371 May cause damage to organs (Lungs).

H411 Toxic to aquatic life with long lasting effects.

H412 Harmful to aquatic life with long lasting effects.

**SAFETY DATASHEET**

Manufacture in the UK

**Hints - Furniture Polish Natural**

This information relates only to the specific material designated and may not be valid for such material used in combination with any other materials or in any process. Such information is, to the best of the company's knowledge and belief, accurate and reliable as of the date indicated. However, no warranty, guarantee or representation is made to its accuracy, reliability or completeness. It is the user's responsibility to satisfy himself as to the suitability of such information for his own particular use.